

•	all anions					
Cotrons	CO_3^{2-} Na ₂ CO ₃	CIT NaCl	Habh	NO3 NaNO3	Pay - Naz Pby	SOY ²⁻ NazSOy
Al ³⁺ AlCl3	PPT		PPT		PPT	
NH4 NH4Q						
Cat Callz	PPT		PPT		PPT	TTT
Cu ²⁺ CuSQ			PPT		PPT	
Fe ^{3t} FeCl ₃	PPT		PPT		PPT	
$P_{\rm b} P_{\rm b}(NO_3)_2$	PPT	777	PPT		PPT	777
K ^t KI						
Azt Agnloz	PPT	797	PPT		PT	

PPT = Precipitate = Solid Formation

No notation = No reaction observed

Observing 48 of the possible 91 Pairings >> we are only looking at a subset. Experiment uses a total of 14 chemicals





Predicting the Products of Precipitation Reactions: Solubility Rules

Goals

- Observe and record precipitation reactions.
- Derive general solubility rules from the experimental data.
- Describe precipitation reactions by writing net ionic equations.
- Understand the relationship between solubility and precipitation reactions.

Introduction

Ionic compounds in solution consist of free ions surrounded by water. In the case of zinc chloride being dissolved in water to form an aqueous solution, the dissolution of the ionic compound can be depicted as follows:

 $ZnCl_{2(s)} \longrightarrow Zn^{2+}_{(aq)} + 2 Cl_{(aq)}$ What type of change is this?

These free aqueous ions can react with other ions. Mixing of dissolved ionic compounds can lead to precipitation reactions, a double displacement reaction. The **precipitate** is a **solid product**, a new ionic compound that is different from the reactants in both composition and solubility. Solubility is defined as the amount of substance (solute) that dissolves in a given amount of solvent. Solubility is a physical property that can be useful in predicting whether the mixing of aqueous ionic compounds will lead to a precipitation reaction. The mixing of a variety of combinations leads to the formulation of general rules of solubility. Some examples of these rules include "All sodium salts are soluble in water" or "The mixing of two ionic compounds that contain a common ion will not lead to a precipitate".

Let's look at an example to see how these solubility rules can help us. As part of the lab, aqueous solutions of silver nitrate and sodium carbonate are mixed. A foggy white precipitate is formed. To write the chemical equation:

1. Identify the reactants and write their correct formulas:

$AgNO_{3(aq)}$ +	Na ₂ CO _{3(aq)}	>
silver nitrate	sodium carbonate	

2. "*Swap*" the cations of the reactants to form the products, two new ionic compounds: the products will be sodium nitrate and silver carbonate.

3. Write the **correct** formulas for the products after the arrow. Use the names of the products as an aid to get the formulas correct. Each product must have a net charge of zero. In other words the sum of the positive charges must equal the sum of the negative charges within each product.

 $AgNO_{3(aq)} + Na_2CO_{3(aq)} \longrightarrow Ag_2CO_3 + NaNO_3$ silver nitrate sodium carbonate silver carbonate sodium nitrate

4. Use solubility rules to determine which product is the precipitate: "All sodium salts are soluble"; therefore silver carbonate must be the foggy, white precipitate.

 $AgNO_{3(aq)} + Na_2CO_{3(aq)} \longrightarrow Ag_2CO_{3(s)} + NaNO_{3(aq)}$

5. LAST but not least, balance the equation using whole number coefficients:

 $2 \text{ AgNO}_{3(aq)} + \text{Na}_2 \text{CO}_{3(aq)} \longrightarrow \text{Ag}_2 \text{CO}_{3(s)} + 2 \text{ NaNO}_{3(aq)}$

How do you convert a chemical equation into a correct net-ionic equation?

1. Rewrite the correct chemical equation **but** this time write any aqueous (not solid) ionic compound as free cations, with proper charge and aqueous symbol, and anions, with proper charge and aqueous symbol. This form is referred to as the total ionic equation. Remember that coefficients in front of a species apply to both cation and anion. Only subscripts on monatomic ions and subscripts outside of parenthesis surrounding polyatomic ions multiply against coefficients. Subscripts that are part of polyatomic ions **do not** multiply against coefficients. Look below, which subscripts changed coefficients when the aqueous compounds were written as free ions?

$$2 \operatorname{Ag^{+}}_{(aq)} + 2 \operatorname{NO_{3}^{-}}_{(aq)} + 2 \operatorname{Na^{+}}_{(aq)} + \operatorname{CO_{3}^{2^{-}}}_{(aq)} \longrightarrow 2 \operatorname{Na^{+}}_{(aq)} + 2 \operatorname{NO_{3}^{-}}_{(aq)} + \operatorname{Ag_2CO_{3(s)}}_{(aq)}$$

2. Once you are sure you have the correct total ionic equation, look at the equation again. It should be balanced and you will be able to see what ions actually changed. Any species that is exactly the same on both sides is considered to be a spectator ion. *To write the net ionic equation, eliminate the spectators and only write the species that changed*:

 $2 \operatorname{Ag}_{(aq)}^{+} + \operatorname{CO}_{3}^{2^{-}}_{(aq)} \longrightarrow \operatorname{Ag}_{2}\operatorname{CO}_{3(s)}$

Why so many types of equations? Each equation is useful for different reasons. The net ionic is preferred in double displacement reactions because it focuses solely on the product.

In this lab you will mix a variety of solutions. By using sodium salts for at least one of the reactants you will be able to identify which product is the precipitate. To assist you in identifying the solid product, you will write chemical equations for all observable reactions. These chemical reactions will be translated into net ionic equations. After examining the chemical formulas of the precipitates, you will "conclude" by summarizing your results as a set of solubility rules.

Safety

Act in accordance with the laboratory safety rules of Cabrillo College. Wear safety glasses at all times.

Avoid contact* with all chemical reagents and dispose of reactions using appropriate waste container.

*Contact with silver nitrate (AgNO₃) will stain the skin.

Use microburets to dispense reagents in such a way that they do not make contact with other drops or the reaction surface.

Return any contaminated microburets to your instructor.

Materials:

Reagent Central chemicals include aqueous solutions of the compounds listed on your experimental page.

Equipment: Clean, dry transfer pipet for mixing. Labtop reaction surface

Experimental Procedure

- 1. Insert your experimental page under your reaction surface. Place 1 drop of each solution in the squares on your experimental page. Record what happened after mixing with the air from a clean, dry pipet. ("NVR" can indicate no visible reaction.) Please include adjectives that describe both color and texture being as specific as possible (not all white precipitates look the same).
- 2. After all the reactions are completed and all observations recorded, take one last look at your surface. Have any of the squares changed over time? Record any noticeable changes (there won't be many). Clean your surface by absorbing the contents onto a paper towel. Rinse the reaction surface with a damp paper towel and dry it. Dispose of paper towels in waste bin. Clean your area. Wash your hands thoroughly with soap and water.
- 3. Answer the questions, correctly writing both chemical and net ionic equations.
- 4. Draw general conclusions about the cations and anions in your experiment by formulating your own solubility rules.
- 5. Apply your rules to unknown combinations.

Sol'ns	Na ₂ CO ₃	NaCl	NaOH	NaNO ₃	Na ₃ PO ₄	Na ₂ SO ₄
AlCl ₃	×	×	×	×	×	×
NH ₄ Cl	×	×	×	×	×	×
CaCl ₂	×	×	×	×	×	×
$CuSO_4$	×	×	×	×	×	×
FeCl ₃	×	×	×	×	×	×
Pb(NO ₃) ₂	×	×	×	×	×	×
KI	×	×	×	×	×	×
AgNO ₃	×	×	×	×	×	×

Reaction Guide: Insert this page into the labtop. Mix one drop of each, using a long stem pipet to blow air past the droplet to complete the mixing.

There are a number of important facets to this experiment. Learning how to predict the products of precipitation reactions, learning to write proper balanced chemical equations and net ionic equations, and observing solubility trends. To make all of these goals easier use the reaction guide on the previous page as a template for a data table. Use an entire page of your notebook for the table. Use the ruler provided in your chemistry kit to make clean lines. When a precipitation reaction is observed, indicate the color and use one or two adjectives to describe the product (milky, cloudy, marbled, granular...). Where no visible reaction is observed you can simply write "NVR" for "no visible reaction (remember to define abbreviations somewhere on the page).

Data Analysis

Answer the following questions in your laboratory notebook using complete sentences.

- 1. Look across the rows, what cations are always soluble (never form precipitates)?
- 2. Look down columns, what anions are always soluble (never form precipitates)?
- 3. Look down columns, what anions are usually soluble (seldom form precipitates)? Which cation(s) will form precipitates with these anions (your looking for exceptions to the general trend)?
- 4. Look down columns, what anions are usually insoluble (usually form precipitates)? Which cation(s) will not form precipitates with these anions (your looking for exceptions to the general trend)?
- 5. Given that you have answered questions two through five correctly, would you expect to see a precipitate form in the reaction of aqueous magnesium chloride with aqueous potassium phosphate? Write out the complete chemical equation for this reaction. Defend your answer by stating your reasoning.
- 6. Would you expect to see a precipitate form in the reaction of aqueous sodium chloride with aqueous ammonium hydroxide? Write out the complete chemical equation for this reaction. Defend your answer by stating your reasoning.
- 7. For all reactions in which there was an observable change (precipitate formation) write out a complete correct chemical equation to describe the reaction, followed by the net ionic equation. Refer back to the introduction if you need assistance. There should be 22 reactions in all (go back and look at the CaCl_{2(aq)} with Na₂SO_{4(aq)}). Allow enough space between equations in your notebook so that your work is easily readable.

Data Analysis

● Look across the rows, what cations never form precipitates (PPT) => Empty rows Potassium Kt ≪ Ammonium NH4+ Group IA is important Sodium Nat «

Group IA Cations never form precipitates — Group IA & NHty are highly soluble Cations & never form precipitates


Nitrate is an always soluble anion, it never forms precipitates


Important exceptions are NH+; & K that are soluble with these 3 anims.


	Solut	sility Table	
	<u>Role</u>	Tons	Exceptions
$\overline{\mathbb{O}}$	Always Soluble Cations	Group IA (Lit, Nat, K) \$ NHy	None
Û	Always Soluble Anions	NO_3 , $C_2H_3O^-$	None
3	Usually Soluble Anions	CI, B-, I	Pb ²⁺ , Ag ⁺ , Hg ²⁺
	Usually Soluble Anions	F, 504 ²⁻	$Pb^{2+}, Ca^{2+}, Ba^{2+}$
œ	usually Insoluble Anions	$OH^{-}, CO_{3}^{2-}, PO_{4}^{3-}$	Group 1A & NHy+
	PPT	No Reaction	


Insoluble

Soluble












$$M_{g_3}(PQ_4)_{2,G}$$

 $R_{ole}: PQ_4^3$ is usually insoluble. M_g^{2t} is
not an exception to the rule.









	Solut	sility Table	
	Rule	Tons	Exceptions
Ō	Always Soluble Cations	Group IA (Lit, Nat, Kt) \$ NH4	None
Û	Always Soluble Anions	NO_3 , $C_2H_3O^-$	None
3	Usually Soluble Anions	CI, B-, I-	Pb^{2+}, Ag^{+}, Hg^{2+}
_	Usually Soluble Anions	F, 504 ²⁻	$Pb^{2+}, Ca^{2+}, Ba^{2+}$
Ð	usually Insoluble Anions	$OH, CO_{3}^{2}, PO_{4}^{3}$	Group 1A d NHy+
	PPT	No Reaction	


Insoluble

Soluble

Predict the solubility of the following Tionic Compounds. age = soluble or S = insoluble


SolubilityZuleNaz SO4Soluble (ag)Nat is always Soluble
cation.Fe Cl3Soluble (ag)Cit usually Soluble
 Fe^{3+} is not an exceptionAl2(CO3)3Insoluble (s) CO_3^{2-} is usually insoluble
d Al³⁺ is not an exceptionPb(NO3)2Soluble (ag)ND3 always Soluble anion


Ag Br Insoluble (s) Br is usually Soluble but Agt is an exception



step 2 balance the guation (Coefficients)

 $\begin{aligned} & \exists AlCl_3 + \frac{3}{2} Na_2 CO_3 \longrightarrow Al_2 (CO_3)_3 + \frac{1}{2} NaCl \\ & Al^{3+} \times 2 & 2 \\ & Cl^- & 3/6 & \chi \\ & Na^+ & \chi \\ & CO_8^{2-} & \chi \\ \end{aligned}$





Assignment => 10 more with PPT!